

ISE 503-1 Prep Pattern and Sew Jacket

Join me



and be sure to sign up on my blog for sewing & fitting tips along with class updates.

xoxo Angela 😊



Fabric: All the fabrics I use on **It's Sew Easy TV** come from [Vogue Fabrics](#)

Patterns and Sewing Supplies: [The Angela Wolf Pattern Collection](#)

Designer Tip: Mark the wrong side of the fabric with stickers



Fuse Interfacing to wrong side of the jacket:



- **Note:** Press the interfacing the wrong side of the fabric. It is really important to press with pressure, do not move iron around the iron or you will end up with ripples, and that's not good 😊



- Interface all your pieces according to your pattern or use this as a guide. All the [Angela Wolf Patterns](#) have interfacing and guides included in each pattern.



- If you are using a tweed or a fabric that ravel, make sure you finish the edges by serging or use a zigzag stitch.



- Use ¼" twill tape to prevent certain seams from stretching out.



- An overview of the front and back pattern pieces in a lined, tailored jacket.



- Press each seam open. Use a [tailor's clapper](#) for perfect pressing.



- Press the seam on a [seam roll](#) to prevent creasing.



- Press curved seams on a [pressing ham](#). Then, clip the curves to prevent the seam allowance from showing to the right side of the jacket.

